

9500194

THE CATCHED SHATES OF ANTERIOA

TO ALL TO WHOM THESE; PRESENTS; SHALL COME;

Northrap King Company

Interest, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE MAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT WARRETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC EPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE HIT TO EXCLUDE OTHERS FROM SELLING THE VARIETY OF OFFERING IT FOR SALE, OR REPRODUCING IT, OR TITING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'S59-95'

In Jestimony Macros, I have hereunto set my hand and caused the seal of the Mant Hariety Jestication Office to be affixed at the City of Washington, D.C. this thirty-first day of December in the year of our Lord one thousand nine hundred and ninetwess.

Atlest:

Marsha J. Sterns. Commissioner Plant Variety Protection Office

Secretary of Agriculture

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (DMB #0581-0055). Washington, 20250

FORM APPROVED: OMB 0581-0055, Expires 1/31/91

US DEPARTMENT OF AG AGRIGULTURAL MARKETII	RICULTURE NG SERVICE		Application is required in order to determine it a plant variety protection
APPLICATION FOR PLANT VARIETY		CERTIFICATE	certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)	:	2 TEMPORARY DESIGNATION OF	3. VARIETY NAME
Northrup King Company		н88-2106; х9459	S59 - 95
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		5 PHONE (Include area code)	FOR OFFICIAL USE ONLY
P.O. Box 949	* -		PVPO NUMBER
Washington, Iowa 52353-0949		319-653-2181	ornnigh
Attention: Dr. John C. Thorne		213-022-2101	9500194
	:		1 may 19 1995
6. GENUS AND SPECIES NAME 7	FAMILY NAME (Botanio	al)	Time
Glycine max	Leguminosae		N □ A.M □ P.M.
			F Filing and Examination Fee.
8. CROP KIND NAME (Common Name)	9 (DATE OF DETERMINATION	[, 2450°°
Soybean	ľ	ebruary 1992	S Date
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANI	ZATION (Corporation, part	rership, association, utc.)	B May 14, 1995
Corporation			C Certificate Fee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	12 DA	TE OF INCORPORATION	V Date
Delaware		1976	5 Nov. 19, 1996
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO S	ERVE IN THIS APPLICATION	N AND RECEIVE ALL PAPERS	1 - Property of the second sec
Dr. John C. Thorne			
Northrup King Co.		•	
P.O. Box 949			
Washington, Iowa 52353-0949		PHONE (Include area o	ode): 319/653-6645
14. CHECK APPROPRIATE BUY FOR EACH ATTACHMENT SUBMITTED (Follow	INSTRUCTIONS on rever	e)	***
a. X Exhibit A, Origin and Breeding History of the Variety			
b. X Exhibit B, Novelty Statement	•		•
c.			
d. Exhibit D, Additional Description of Variety a. X Exhibit E, Statement of the Basis of Applicant's Ownership		•	
Seed Sample (2,500 viable untreated soeds) Date Soed S		ariety Protection Office	
g. X Filing and Examination Fee (\$2,150) made payable to "Tre	the state of the s		
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD			(See section 83(a) of the Plant Variety
Protection Act.) YES (If "YES." answer dems 16 and 17 belo	w) 🔯 NO (# "M)," skip to item 18 bolow)	
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO	17 IF "YES" TO	ITEM 16, WHICH CLASSES OF PRO	DUCTION BEYOND BREEDER SEED?
NUMBER OF GENERATIONS? YES X NO	FOU	NDATION REGI	STERED CERTIFIED
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARI	FTY IN THE U.S.?		
16. DID THE APPLICANT(S) PREVIOUSET PILE FOR PROTECTION OF THE VAN	_		
YES (II "YES." through Plant Variety Protection Act	Patent Act Give dat		
Τ΄ νο			
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MA	RKETED IN THE U.S. OR C	THER COUNTRIES?	
YES (If "YES," give names of countries and dates)			• .
X NO			
20. The applicant(s) declare(s) that a viable sample of basic seer request in accordance with such regulations as may be applic	ls of this variety will able	be furnished with the applica	tion and will be replenished upon
The understand applicant(s) is tare) the awner(s) of this sa	exually reproduced r	ovel plant variety, and belie	ve(s) that the variety is distinct,
uniform, and stable as required in section 41, and is entitled	to protection under th	e provisions of section 42 of th	e Plant Variety Protection Act.
Applicant(s) is (are) informed that false representation herei	n can jeopardize prote	ction and result in penalties.	
SIGNATURE OF APPLICANT (OWNERS)	CAPACITY OR T	TLE	DATE
	()	D / r	5-5-95
John Jhome	10760	un Kescarch D	OATE
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR T	ILE	0016
V			
	ŀ		

FORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is obsolute

EXHIBIT A

Origin and Breeding History of S59-95

In 1984 the Coker breeding group at Hartsville, SC made the cross Co 82-645 x P 9571 and, in the subsequent years 1985-87, a total of two backcrosses was made to the first parent using an F3 derived line as the pollen source, as follows: Co 82-645(3) x P 9571. Co 82-645 was later released as the variety "6738".

The first F1 was advanced to F3 in the greenhouse during the winter of 1984/85. Twenty-four F1 seed were initially sown and seed from all twenty-four plants was harvested separately. The twenty-four F2's were then replanted in the greenhouse and screened with race 14 of cyst nematode (Heterodera glycines). Plants with fewer than five cysts were advanced to F3 by selfing. The F3 generation was grown in the field during the summer of 1985 in rows #62-176 which originated from individual F2 plants. A sample of seed from each of these plants was screened in the greenhouse with race 14 of cyst nematode, and early flowering plants which gave zero cyst counts were used as the pollen source for the backcross onto 6738. BC1F1 was planted in the greenhouse on 5 November 1985 and later harvested as individual F1 plants. The BC1F2 was then planted in the greenhouse in mid-February and screened with race 14 of cyst Resistant plants were subsequently advanced to F3 by The BC1F3 was grown in the field during the summer of selfing. 1986 in rows #1-93. Selected plants were then used as a pollen source for making the second backcross onto 6738. The BC2F1's were planted in the greenhouse on 6 November 1986 and advanced to F2 by harvesting individual F1 plants. The BC2F2 was then planted in mid-February and screened with race 14 of cyst nematode. Resistant BC2 plants with zero cyst counts were advanced by selfing. BC2F3 was grown in the field during the summer of 1987 as rows #1-A sample from each row was again screened in the greenhouse with race 14 of cyst nematode and row #3, having zero cysts was later harvested as single plants. These BC2F4 single plants were grown as progeny rows in the greenhouse during the winter of 1987/88 and rows # 255-264 were then harvested separately to generate ten individual breeding lines for yield testing in preliminary trials.

First Year Strains Test #1, was planted at Hartsville, SC in 1988 with the ten lines numbered 2101 - 2110. Of these one line, H88-2106 from row #260 was selected as the top yielding cyst resistant line. In 1989, H88-2106 was tested in the Second Year Strains Test #276 at Hartsville, SC and in 1990 at four locations throughout the mid-south. During this period, the line was characterized as possessing purple flowers, tawny pubescence, tan pod walls and seed with a dull seed coat and a hilum with black pigmentation. It was further established that H88-2106 was susceptible to Phytophthora rot, but tolerant under field

conditions, and resistant to stem canker caused by <u>Diaporthe phaseolorum var. meridionalis</u>. H88-2106 was further evaluated in advanced trials, across a wide range of environments, from 1991-94 under the experimental designations X9359 and X9459, and based on its yield superiority and disease resistance, it was released in 1995 as S59-95.

Breeder's seed was generated in 1993 by bulking together seed from similar plant row progenies. Foundation seed was produced and approved by the Arkansas State Plant Board in 1994. Varietal purity will be maintained through routine roguing or by the further use of progeny rows as required.

S59-95 is a uniform, stable variety with no obvious offtypes except for minor environmentally induced variation in the intensity of black hilum pigmentation.

EXHIBIT B

Novelty Statement for the Variety S59-95 Soybeans

Soybean variety S59-95 is most similar to the varieties Coker 485 and S59-60. It can be differentiated from Coker 485 on the basis of soybean cyst nematode and stem canker, and from S59-60 on the basis of stem canker. S59-95 is resistant to races 3 and 14 of soybean cyst nematode and is resistant to stem canker. Coker 485 and S59-60 are both moderately susceptible to stem canker, and Coker 485 is susceptible to race 14 of cyst nematode.

EXHIBIT C (Soybean)

Page 1 of 4

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Northrup King Company	н88-2106; х9459	S59 – 95
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code	e)	FOR OFFICIAL USE ONLY
P.O. Box 949		PVPO NUMBER
Washington, IA 52353-0949 Attn: John Thorne		9500194
Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided,	iety in the features described be place a zero in the first box w	pelow. When the number of significant digits then number is 9 or less (e.g., 0 9).
1. SEED SHAPE:	0	
2 L W	Т	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	2 = Spherical Flattened (4 = Elongate Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	ογ'; 'Gasoγ 17')	
4. SEED SIZE: (Mature Seed)		
1 4 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	ck 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green wit 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	h bronze band below cotyledons (' 'Coker Hampton 266A')	Woodworth'; 'Tracy')
10. LEAFLET SHAPE:		
3 = Ovate 3 = Ovate	4 = Other (Specify)	

FORM LMGS-470-57 (2-82)

			7500174
11. LEAF	1 = Small ('Arnsoy 71'; 'A5312')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	
	3 = Large ('Crawford'; 'Tracy')		
12. LEAF	COLOR:		•
2	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton')	
13. FLOW	ER COLOR:		
2	1 = White 2 = Purple 3	≈ White with purple throat	
14. POD C	DLOR:		
1	1 = Tan 2 = Brown 3 = 8	Black	
15. PLAN	PUBESCENCE COLOR:		
2	1 = Gray 2 = Brown (Tawny)		
16. PLANT	TYPES:		
1	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')	
17. PLANT	HABIT:		
1	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	2 = Semi-Determinate ('Will')	
18. MATU	RITY GROUP:		
0 8	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII	4 = I 5 = II 6 = III 7 = IV 12 = IX 13 = X	8 = V
19. DISEAS	SE REACTION: (Enter 0 = Not Tested; 1 = Suscep	tible; 2 = Resistant)	
BACT	ERIAL DISEASES:		
2	Bacterial Pustule (Xanthomonas phaseoli var. soje	nsis)	
	Bacterial Blight (Pseudomonas glycinea)		
2	Wildfire (Pseudomonas tabaci)		
111 -	L DISEASES:		
0	Brown Spot (Septoria glycines)		
· · ·	Frogeye Leaf Spot (Cercospora sojina)		
0	Race 1 0 Race 2 0 Race 3		ner (Specify)
	Target Spot (Corynespora cassiicola)		usceptible to common isolates race unspecified
	Downy Mildew (Peronospora trifoliorum var. man		·
	Powdery Mildew (Microsphaera diffusa)		
0	Brown Stem Rot (Cephalosporium gregatum)		
2	Stem Canker (Diaporthe phaseolorum var. caulivo	ra)	

FORM LMGS-470-57 (2-82)

19. DISEASE	REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	= Resistant) (Continued)				
FUNG	AL DISEASES: (Continued)					
1	Pod and Stem Blight (Diaporthe phaseolorum var; sojae)					
1	Purple Seed Stain (Cercospora kikuchii)					
0 6	Rhizoctonia Root Rot (Rhizoctonia solani)					
f	Phytophthora Rot (Phytophthora megasperma var. sojae)					
1 ,	Race 1 0 Race 2 0 Race 3 0	Race 4 0 Race 5	0 Race 6 0 Race 7			
O F	Race 8 0 Race 9 0 Other (Specify)					
VIRAL	DISEASES:					
	Bud Blight (Tobacco Ringspot Virus)					
0 1	ellow Mosaic (Bean Yellow Mosaic Virus)					
0 0	cowpea Mosaic (Cowpea Chlorotic Virus)					
O P	od Mottle (Bean Pod Mottle Virus)					
<u>0</u> s	eed Mottle (Soybean Mosaic Virus)					
NEMAT	ODE DISEASES:					
s	oybean Cyst Nematode (Heterodera glycines)					
1 R	ace 1 0 Race 2 2 Race 3	Race 4 2 Other	Specify) Race 14			
O Lance Nematode (Hopiclaimus Colombus)						
2 s	outhern Root Knot Nematode (Meloidogyne incognita)					
0 N	orthern Root Knot Nematode (Meloidogyne Hapla)	•				
2 Pe	eanut Root Knot Nematode (Meloidogyne arenaria)		•			
O R	eniform Nematode (Rotylenchulus reniformis)					
	THER DISEASE NOT ON FORM (Specify): Red Cr	own Rot, Javanese	Root Knot			
			gyne Javanica)			
	GICAL RESPONSES: (Enter 0 = Not Tested; 1 = Suscep	otible; 2 = Resistant)				
O Iro	on Chlorosis on Calcareous Soil					
0 0	her (Specify)					
21. INSECT RE	ACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = R	esistant)				
<u>о</u> м	exican Bean Beetle (Epilachna varivestis)					
0 Ро	tato Leaf Hopper (Empoasca fabae)					
0 Ot	her (Specify)					
22. INDICATE	WHICH VARIETY MOST CLOSELY RESEMBLES THA	T SUBMITTED.				
CHARAC		CHARACTER	NAME OF VARIETY			
Plant Shape	6738	Seed Coat Luster	COKER 485			
Leaf Shape	P9571	Seed Size	S59-60			
Leaf Color	COKER 485	Seed Shape	6738			
Leaf Size	P9571	Seedling Pigmentation	S59–60			

FORM LMGS-470-57 (2-82)

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT LODGING MATURITY SCORE	PLANT LODGING	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
		SCORE		CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted S59-95	153	1.6	69	5.5	11.3	38.1	19.8	14.0	2/3
Name of Similar Variety S59-60	152	3.8	74	6.4	12.4	38.5	19.2	14.0	2/3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity In seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT E

Statement of the Basis of Ownership of S59-95

Soybean variety S59-95 was developed by the soybean breeding department of Coker's Pedigreed Seed Company, which was purchased by Northrup King Co. in July 1988. The germplasm used in the development of S59-95 is cited in Exhibit A of this application.

Northrup King Co. believes that the variety is novel, as defined by the Plant Variety Protection Act; and therefore, that Northrup King Co. is the sole owner of the variety.

